

Let San Juan Help Make It Happen For You!

> Over 100 Pool And Spa Models To Choose From

4 Iridium And 2 Standard Colors





Fiberglass Swimming Pools

Since 1954

All (easons

Pools · Spas Outdoor Living



••• QUALITY FIBERGLASS POOLS SINCE 1958 •••



9135 W 135th Street, Orland Park, IL email: sanjuan@aspools.com

877-424-3010 ext. 681

www.allseasonspoolsandspas.sanjuanpools.com

Welcome to the Wonderful World of Water

Welcome to San Juan Pools

We are the world's leader in fiberglass swimming pool technology and have been crafting quality fiberglass pools since 1958.


San Juan started in Seattle Washington in 1958 and was the first company to apply the then new material of fiberglass to pool construction. San Juan created and leads the one-piece fiberglass pool industry.

ith San Juan, you can be confident that we back our fiberglass pools as solidly as we build them. San Juan craftsmen assemble every fiberglass pool with meticulous attention to detail using the highest quality materials available.


Innovation, ingenuity and creativity make San Juan pools the worldwide leader in swimming pool technology. We create custom fiberglass pool designs which offer you numerous advantages that concrete and vinyl liner pools cannot match. The satin-smooth finish and rounded corners of your San Juan pool will not chip, tear or harbor bacteria and algae.

anufacturing fiberglass pools since 1958, San Juan has and always will set the standard in the swimming pool industry. Your San Juan fiberglass dream pool is just a phone call away!

East 800-535-7946 West 866-535-7946







Negative Edge Pools



OD: W16'-L36'2"-D4'8"



OD: W14'1" - L27'10" - D5'



OD: W16'-L24'-D4'9"



OD: W15'10" - L17'4" - D5'2"

Perimeter Overflow Pools



OD: W15'11"-L44'7"-D7<u>'10"</u>



OD: W16'2"-L40'6"-D6'4"



OD: W15'10"-L33'10"-D5'1"



OD: W12'-L25'-D6'



OD: W11'5"-L20'9"-D4'





Raised Beam / Wet Bar Pools



OD: W16'2"-L39'1"-D6'




OD: W16'-L36'2"-D4'8"



OD: W13'11"-L27'10"-D5'5"





Swim Lane Pools / Swim Spas





Beach Entry / Tanning Ledge Pools



OD: W16'2"-L39'1"-D6'



OD: W15'11"-L44'7"-D6'4"



OD: W16'2"-L37'-D6'4"



OD: W15'10"-L33'10"-D5'1"




OD: W15'11"-L31'10"-D5'8"



OD: W16'-L36'2"-D4'8"



OD: W14'-L30'-D6'



OD-W11'5"-L20'9"-D4'



OD: W12'3"-L23'9"-D5'11"



OD: W11'8"-L25'1"-D5'7"



OD: W11'9"-L23'9"-D5'7"



OD: W11'11"-L18'11"-D5'



Width:	11'11"/3.63 M
Length:	17' 2" / 5.23 M
Depth:	.4'2"-5' / 1.27 M -1.52 M
Area:	119 ft ² / 11 M ²
Volumo	2 000 C / 14 762 L



Width: .												8'	1	2	44	M
Length:												8'	1	2	44	M
Depth: .										(00)	3	2'	1	0	97	M
Area:		٠										14	ft	2	4	M ²
Volumo									5	ς	n	C	1	2	nΩ	21




Width:	8'2" / 2.49 M
Length:	16'2" / 4.93 M
Depth:	4' / 1.22 M
Area:	
Volume:	2.650 G / 10.031 L



Width: .	 													7		1"	1	1	.8	N	1
Length:														6'	1	1	"/	1	.8	N	١
Depth: .	 		•											3'	3"	1	0	.5	99	N	į
Area:	 													.4	5	ft	2	1	4	M	2
Volume:	 																				
				Δ	h	1	11	"	0	1	2	r	0	ur	20	11	14	In	d	1	



Width:	10′/3.05 N
Length:	
Depth:	3'6" / 1.07 N
Area:	144ft ² / 13 M
Volume:	3500 G / 13,249 I
	Above Ground Model



Width:	7' 1"/ 1.8 M
Length:	6′ 11″/1.8 M
Depth:	3'3"/0.99 M
Area:	45 ft ² / 4 M ²
Volume:	550 G / 2.082 I



Width:	8' / 2.44 M
Length:	14' / 4.27 M
Depth:	3'6" / 1.08 M
Area:	98 ft ² / 9 M ²
Volume:	2,750 G / 10,135 L
	Above Ground Model



Width:	 7' / 2.13 M
Length:	 10'3" / 3.12 M
Depth:	 3'2"/0.97 M
Area:	 43 ft ² / 4 M ²
Volume:	700 6 / 2 650 1



Width:	13'5"/4.11 M
Length:	20'1" / 6.13 M
Depth:	3'4" / 1.03 M
Area:	151 ft ² / 14 M ²
Volume:	. 3.550 G / 13.438 L



Width:	8' / 2.44 M
Length:	8' / 2.44 M
Depth:	2'11"/0.89 M
Area:	42 ft2 / 4 M2
Volume:	450 G / 1 703 I











www.SanJuanPools.com www.MyPoolSpace.net



Slue Lagoon















equirements may vary by region. All quick entry devices shall be installed in accordance with the manufacturer's specifications.

ent and not agents for manufacturers.

or construed to be an employment, a partnership, a joint venture, an agency or any other similar relationship. No Dealer has any authority of any kind or nature whatsoever to enter into any contract or agreement binding upon San Juan Products, or any partner or soever for or with respect to any persons performing any services on the part of any dealer including, without limitation. Any installation services or any repair services, and all such persons performing any such services on the part of any Dealer are and shall remain sons performing any services on the part of any Dealer, whether installation services or any other services, shall ever be construed to be employees, contractors or agents of San Juan Products, or of any partner or affiliate of San Juan Products.



Width:	15'11" / 4.85 M
Length:	44'7" / 13.59 M
Depth:3'8	"-7'10" / 1.12 M -2.39 M
Area:	658 ft ² /61.1 M ²
Volume:	22,000 G /83,279 L



Volume: 19,000 G /71,923 L

Monte Carlo

 Width:
 15'11"/4.85 M

 Length:
 31'10"/9.7 M


 Depth:
 3'8"-5'8"/1.12 M -1.73 M

 Area:
 467 ft²/43 M²

 Volume:
 12,000 G / 45,425 L

10000	-
	THE RESERVE OF THE PARTY OF THE
1	
	CONTRACTOR DESCRIPTION OF THE PERSON OF THE
Width:	16'2" / 4.93 N
Length:	
	3'8"-6'4" / .97 M -1.93 N
THE PARTY OF THE PARTY OF	
Area:	602 ft ² /56 M
Volume:	20,600 G /77,979
volume	20,000 0111,5151

Oceanside





Area:560 ft²/52 M²



Taj N



Width:	15'10" / 4.83 M
Length:	33'10" / 10.31 M
Depth: 3'11	"-5'1" / 1.17 M -1.55 M
Area:	487 ft ² / 45 M ²
Volume:	11,600 G / 43,911 L



Width:	16'2"/4.93 M
Length:	34'1"/10.39 M
Depth:	. 3'6"-5'5" / 1.14 M -1.65 M
Area:	431 ft ² / 40 M ²
Volume:	13,500 G / 51,103 L



Width:	16' / 4.88 M
Length:	33'9" / 10.29 M
Depth: 3	'4" - 5' 8" / 1.02 M -1.73 M
Area:	417 ft ² / 39 M ²
Volume:	11,400 G / 43,154 L



Width:	16' / 4.88 M
Length:	39'8" / 12.09 M
Depth: 3'	5"-7'11" / 1.12 M -2.41 M
Area:	
Volume:	17,950 G /67,948 L



Width:	
Length:	33′1″/ 10.08 M
Depth:	3'9"-5' / 1.14 M -1.52 M
Area:	395 ft ² / 37 M ²
Volume:	11,500 G / 43,532 L







to the same of the	
Width:	14′ / 4.27 M
Length:	32′6″/9.91 M
Depth:	3'-9' / .91 M -2.44 M
Area:	362 ft ² /34 M ²
Volume:	14,000 G / 52,996 L



Width:	14' / 4.27 M
Length:	32'6"/9.91 M
Depth:	3'-5'6"/.91 M -1.68 M
Area:	362 ft ² / 34 M ²
Volume:	11,500 G / 43,532 L



Vidth:	13′11″/4.85 M
ength:	27′10″/8.5 M
	-5'5" / 1.09 M -1.65 M
rea:	356 ft ² / 33 M ²
olume:	8,300 G / 31,418 L



/idth:	
ength:	27′11″/8.5 M
epth:	3'3"- 5' 1" / 1.07 M -1.55 M
rea:	356 ft ² /33 M ²
olume:	11,300 G / 42,775 L



Width:	
Length:	32′ 10″ / 10.01 M
Depth:	3'6"- 8' / 1.07 M -2.44 M
Area:	354 ft ² / 33 M ²
Volume:	13,700 G / 51,860 L





Wail



Width:	12′10″/3.91 M
Length:	29′ / 8.84 M
Depth:	3'6"-6' / 1.07 M -1.83 M
Area:	295 ft ² / 27 M ²
Volume:	10,000 G / 37,854 L

	Catalina
	7
Width:	12′ / 3.66 M

Width:	12' / 3.66 M
Length:	25′ 10″ / 7.87 M
Depth:	3'7"-5'7" / 1.09 M -1.7 M
Area:	218 ft ² / 20 M ²
Volume:	6,800 G / 25,741 L



in the second second	Commence of the commence of
Width:	14'1"/4.29 N
Length:	27' 10" / 8.48 N
Depth:	5' / 1.52 N
Area:	294 ft ² / 27 M
Volume:	9.000 G / 34.069 I



CA COMPANY	Market and the second s
Width:	12'3"/3.73 N
Length:	
Depth:	3'9"-5'11" / 1.12 M -1.8 N
Area:	217 ft ² / 20 M
Volume:	6,000 G / 22,712 I



Width:	
Length:	30′ / 9.14 M
Depth:	3'1"-6' / .94 M -1.83 M
Area:	290 ft ² / 27 M ²
Volume:	6.800 G / 25.741 L

Gulf Bre	eze
3	

Width:	12′ / 3.66 N
Length:	20′ / 6.1 M
Depth:	3′10″/1.17 N
	212 ft ² / 20 M
Volume:	5,600 G / 21,198



Width:	12′/3.66 M
	27′ / 8.28 M
Depth:	4′3″/1.3 M
	289 ft ² / 27 M ²
Volume:	6,400 G / 24,227 L



Width:	16′ / 4.88 N
Length:	24' / 7.32 N
Depth:	4'9" / 1.45 N
Area:	200 ft ² / 19 M
Volume:	5,200 G / 19,684



Width:	8'6"/2.59 N
Length:	40' / 12.19 N
Depth:	4'9"/1.45 N
Area:	282 ft2 / 26 M
Volume:	8 500 G / 32 176 I



Width:	11'8"/3.56	ίN
Length:	25'1"/7.65	i N
Depth: 3	3'1"-5'7" / .94 M -1.7	N
Area:	198 ft ² /18	M
Volume:	6,600 G / 24,98	4



Length:3'6
Area:

Length: 3'8"-Area:



......16' / 4.88 M 45' / 13.72 M 6'4" / 1.07 M -1.93 M560 ft²/52 M² 18,000 G /68,137 L



Area:559 ft²/ 52 M²

Volume: 20,500 G /77,601 L



Width:16'2" / 4.93 M	Width:
Length:	Length:
Depth: 3'8"-6'4" / .97 M -1.93 M	Depth: 3'3"- 5'1" / .91 M -1.55 M
Area:540 ft²/54 M²	Area:531 ft²/49 M²
Volume: 14,600 G /55,000 L	Volume: 14,400 G /54,510 L

Phoenix

Mirage

Width: 15'8" / 4.78 M

Depth: 3'6"-5'4" / 1.12 M -1.63 M

Atlantic Deep

Length: 33' 1" / 10.08 M

Depth: 3'8"-8' / 1.12 M -2.44 M Area: 375 ft² / 35 M²



Width:	16′ / 4.88 M
Length:	
Depth:	4'9"/1.49 M
Area:	525 ft ² / 39 M ²
Volume:	13,800 G / 52,237 L



Width:	15'11" / 4.85 M
Length:	33'10" / 10.31 M
Depth: 3'8	"-7'10" / 1.12 M -2.39 M
Area:	
Volume:	17,500 G /66,244 L

Pleasure Island

SPA MODELS

(east coast) 800-535-7946 (west coast) 866-535-7946

anPools.com





... 13'9"/4.19 M .. 32′10″/10.01 M 10" / 1.07 M -1.78 M 354 ft² / 33 M² . . 10,300 G / 38,990 L



Width:	16' / 4.88 M
Length:	36'2" / 11.02 M
Depth:	4'8"/1.42 M
Area:	354 ft ² / 33 M ²
Volume:	8,800 G / 33,312 L



Width:	14' / 4.27 M
	27′1″/8.26 M
Depth:	. 3'9"-5'9" / 1.07 M -1.75 M
Area:	345 ft² / 32 M²
Volume:	10,000 G / 37,854 L



Width:	15′ 10″ / 4.83 M
Length:	28' 4" / 8.64 M
Depth:	3'6" - 5'7" / .91 M -1.7 M
Area:	324 ft ² /30 M ²
Volume:	10,000 G / 37,854 L



-	The state of the s
Width:	16' / 4.88 M
Length:	37'4" / 11.38 M
Depth:	3'6"-6'4" / 1.14 M -1.93 M
Area:	455 ft ² / 42 M ²
Volume:	13 7006 / 51 860 1



Width:	15′7″ / 4.75 M
Length:	33′1″/10.08 M
	8"-5'9" / 1.12 M -1.75 M
Area:	375 ft ² / 35 M ²
Volume:	10.400 G / 39.368 L



State of the second	
Width:	
Length:	32'7" / 12.34 M
Depth:	5'7" / .97 M -1.70 M
Area:	
Volume:	10 000 G /39 000 L



Width:	15' 10" / 4.83 M
Length:	28'4"/8.64 M
Depth:	3'6"-5'7"/.91 M-1.7 M
Area:	324 ft ² / 30 M ²
Volume:	10,000 G / 37,854 L



Width: .	14′10″ / 4.52 M
Length:	28′ / 8.53 M
Depth: .	3'6"-5'4" / 1.04 M -1.63 M
Area:	311 ft ² /29 M ²
Volume:	9,500 G / 35,961 L



Width: 1.	3' 10" / 4.22 M
Length:	29'8"/9.04 M
Depth: 3'7"-5'5"/1	.09 M -1.65 M
Area:	302 ft ² / 28 M ²
Volume:9,50	0G/35,961L



..... 11'9"/3.58 M ... 27' 11" / 8.51 M 5'6" / 1.12 M -1.68 M 277 ft2 / 26 M2 .. 8,500 G / 32,176 L

Waikiki l

Width:	12'2"/3.71 M
Length:	26'9"/8.15 M
Depth:	3'5"-5'6" / 1.04 M -1.68 M
Area:	266 ft ² / 25 M ²
Volume:	8,000 G / 30,283 L



Width:	12' / 3.66 N
Length:	28' / 8.53 N
Depth:	3'10"/1.17 N
Area:	267 ft2 / 25 M
Volume:	. 6,750 G / 25,551 L



Width:	12′ / M
Length:	25' / 7.62 M
Depth:	3'6"-6' / 1.07 M -1.83 M
Area:	254 ft ² / 24 M ²
Volume:	8,500 G / 32,176 L



Width:	
Length:	27′10″ / 8.48 M
Depth:	3'6"-6' / 1.07 M - 1.83 M
Area:	242 ft ² / 22 M ²
Volume:	8,000 G / 30,283 L



Length: .20'9" / 6.32 M Depth: .4' / 1.22 M Area: .240ft² / 22 M² Volume: .4500G / 17034 L	Width:	11'5"/3.48 M
Area:240ft² / 22 M²	Length:	20'9" / 6.32 M
	Depth:	4' / 1.22 M
Volume:4500G / 17034 L	Area:	240ft ² /22 M ²
	Volume:	4500G / 17034 L



.....11'9"/3.58M M 23'9" / 7.24 M "-5'7" / 1.07 M -1.7 M 190 ft² / 18 M² ...6,600 G / 24,984 L



	Carlo Control of the
Width:	11′9″/3.58 M
Length:	23′9″/7.24 M
Depth:	3'6"-5'7" / 1.07 M -1.7 M
Area:	190 ft ² / 18 M ²
Volume:	6,600 G / 17,413 L



Width:	12′1″/3.681
Length:	22'4"/6.811
Depth:	3'9"/1.141
Area:	184 ft ² / 17 N
Volume:	5,025 G / 19,022



_			
Width:		12'	/ 3.66 N
Length:		20'9"	/ 6.32 N
Depth:	. 3'8"-4'11	1"/1.12	M -1.5 N
Area:		179 ft	2/17 M
Volume:	4	4,000 G /	15,142



Width:	12' / 3.66 N
Length:	16'6" / 5.03 N
Depth:	5' / 1.52 N
Area:	171 ft2/16 M
	5,200 G / 19,684 L



Width:	12'8"/3.85 M
Length:	19'6" / 12.34 M
Depth:	4′/1.22 M
Volume:	5,200 G /19,684 L



Width:	8'6" / 2.59 M
Length:	23' / 7.01 M
Depth:	4'9" / 1.45 M
Area:	159 ft ² / 15 M ²
	4 240 G / 16 050 L



Width:	10'5"/3.18 N
Length:	
Depth: 3'8"-4	11" / 1.12 M -1.5 N
Area:	157 ft ² / 15 M
Volume:	4 800 G / 18 170 I



Width:	. 15′ 10″ / 4.83 M
Length:	17'4" / 5.28 M
Depth: 3'7"-5'2"	/ 1.09 M -1.57 M
Area:	147 ft ² / 14 M ²
Volume: 4	300 G / 16 277 I



Width:	13'8" / 4.17 M
Length:	
Depth: 3'7"-5' 2"	
Area:	
Volume: 4	



Width:	11'11"/3.63 N
Length:	18'11" / 5.77 N
Depth: 3'7"-5' /	1.09 M -1.52 N
Area:	. 141 ft ² / 13 M ²
Volume:	300 G / 12,492 L



Width:	11'6"/3.51 M
Length:	18' 2" / 5.54 M
Depth:	3'9"/1.14 M
Area:	120 ft ² / 11 M ²
Volume:	2.050 G / 7.760 L



- Annual Control of the Control of t	
Width:	10′10″/3.3 M
Length:	15'6" / 4.72 M
Depth:	. 3'9" / 1.14 M
Area:	99 ft2 / 9 M2
Volume:	100 G / 7.949 L



Width:	 8' / 2.44 M
Length:	 12' / 3.66 M
Depth:	 3' 2" / 0.97 M
Area:	 85ft ² / 8 M ²
Volume:	 950 G / 3.596 L



Width:	8'10"/2.69 M
Length:	8'10"/2.69 M
Depth:	. 3'7" / 1.09 M
Area:	54 ft ² / 5 M ²
Volume:	755 G / 2 858 I



Width: .												9	1		2.	74	11	۷
Length:					٠							9	1	1	2.	74	11	۷
Depth: .													4	1		64	1	۷
Area:	 									6	j	1	f	2	1	5	N	ŀ
Volume:	 							7	0	C)	G	1	2	1,0	55	0	L



Width:	8' / 2.44 M
Length:	8' / 2.44 M
Depth:	3' / 0.91 M
Area:	39 ft ² / 4 M ²
Volume:	500 G / 1,893 L



Width:	6'10"/2.08 M
Length:	6' 10" / 2.08 M
Depth:	3' / 0.91 M
Area:	30 ft ² /3 M ²
Volume:	



Width:	 	6'1"/1.85 N
Length:	 	6'1"/1.85 N
Depth:	 	2'11" / 0.89 N
Area:	 	26ft ² / 2 M
Volume:	 3	00 G / 1.136 I



Width:	11′ 7″/ 3.6 M
Length:	7' 7"/2.35 M
Depth:	1'/ 0.16 M
Area:	65 ft ² / 7 M ²
Volume:	150 G / 567 L



Width:	8' 3"/ 2.5 M
Length:	12'/3.64 M
Depth:	1'/0.16 M
Area:	80 ft ² / 8 M ²
Volume:	100 G / 378 L



(east coast) 800-535-7946

(west coast) 866-535-7946









All dimensions are approximate. Dimensions may vary upon installation Check local and state building codes for diving specifications. Diving r

All dealers/contractors are independ

Deep Water Pools



OD: W15'11"-L44'7"-D7'10"



OD: W16'-L45'-D8'



OD: W16'1"-L42'4"-D7'11"



OD: W16'1"-L39'10"-D7'11"



OD: W16'-L39'8"-D7'11"



OD: W15'11"-L33'10"-D7'10"



OD: W15'7"-L33'1"-D8'




OD: W13'9"-L32'10"-D8'



OD: W14'-L32'6"-D8'





Freeform Pools



OD: W16'-L45'-D8'



OD: W16'-L45'-D6'4"



OD: W16'2"-L39'1"-D6'



OD: W15'8"-L39'8"-D5'4"



OD: W16'-L39'8"-D7'11"

Star Dust



OD: W16'-L37'4"-D6'4"

Atlantic Deep



OD: W15'7"-L33'1"-D8'

Atlantic

OD: W15'7"-L33'1"-D5'9"

Manatee Deep

OD: W13'9"-L32'10"-D8'



OD: W13'9"-L32'10"-D5'10"

Freeform Pools



OD: W15'10"-L28'4"-D5'7"



OD: W15'10"-L28'4"-D5'7"



OD: W14'10"-L28'-D5'4"



OD: W14'-L30'-D6'



OD: W12'-L20'9"-D4'11"



OD: W11'11"-L27'10"-D6'



OD: W12'-L25'10"-D5'7"



OD: W12'3"-L23'9"-D5'11"



OD: W11'8"-L25'1"-D5'7"




OD: W11'9"-L23'9"-D5'7



OD: W11'9"-L23'9"-D5'7"






Classic Pools



OD: W16′2″-L34′1″-D5′5″

Savannah Deep



OD: W14'-L32'6"-D8'

Savannah



OD: W14'-L32'6"-D5'6"

Pompano Beach



OD: W13'10"-L29'8"-D5'5"

Hawaiian



OD: W12'10"-L29'-D6'

Waikiki l



OD: W12'2"-L26'9"-D5'6"

Waikiki II



OD: W11'9"-L27'11"-D5'6"

Malibu



OD: W12'1"-L22'4"-D3'9"

Auto Cover Pools



OD: W16'2"-L40'6"-D6'4"



OD: W15'11"-L44'7"-D7'10"



OD: W15'11"-L44'7"-D6'4"



OD: W15'10"-L33'10"-D5'1"



OD: W15'11"-L33'10"-D7'10"



OD: W15'11"-L31'10"-D5'8"

White





OD: W16'-L36'-D4'9"



OD: W14'-L27'1"-D5'9"




OD: W12'-L25'-D6'

West Coast 866-535-7946



OD: W12'-L16'6"-D5'





Patio Pools



OD - W10′5″ - L21′10″ - P4′11″ OD: W15′10″ - L17′4″ - P5′2″

Crystal Reef




Crystal Beach



OD: W13'8"-L17'4"-D5'2"

Sedona



OD: W8'-L14'-D3'6"

Sea Isle



OD: W12'-L16'6"-D5'

Crystal Cove



OD: W11'11"-L18'11"-D5'

Arialla



OD: W12'-L20'9"-D4'11"



OD: W11'11"-L17'2"-D5"



OD: W8'2"-116'2"-D4'

Hydrotherapy Spas



OD: W13'5"-L20'1"-D3'4"

Vancouver Spa

OD: W11'-L18'2"-D3'9"



OD: W10'10"-L15'6"-D3'9"



OD: W8'10"-L8'10"-D3'7"



OD: W9'-L9'-D4'



OD: W8'-L8'-D3'2"



OD: W7'1"-L6'11"-D3'3"



OD: W7'-L10'3"-D3'2"



OD: W8'-L8'-D2'11"



OD: W8'-L8'-D3'




OD: W6'10"-L6'10"-D3'



OD: W6'1"-L6'1"-D2'11"








loat-ES Epsom Salt Chambers can be used to improve your life in many different ways, from stimulating pain-killing endorphins to improving performance for athletes.

Life improvements you can expect are:


- Decrease stress, anxiety and tension by lowering the related levels of biochemicals in your body.
- Weight Loss, evidence shows that floating can initiate weight loss and has a maintenance effect to help keep off the additional unwanted pounds.
- Pain-killer, floating stimulates the brain to secrete endorphins reducing pain.
- Helps reduces bad habits, as in smoking, drinking, drug use and counter acts withdrawal symptoms.
- Improved performance for Athletes, as well as increasing recovery time.
- Super-learning helps increase the minds power on comprehension.

For more information visit:

www.floatepsomsalt.com







SAN JUAN PRODUCTS DISCLAIMER

San Juan Products Inc. manufactures fiberglass pools and distributes its pools through its independent dealers (the "Dealers") The relationship between San Juan products and each of the Dealers is an independent contractor relationship and shall never be deemed or construed to be an employment, a partnership, a joint venture, an agency or any other similar relationship. No Dealer has any authority of any kind or nature whatsoever to enter into any contract or agreement binding upon San Juan Products, or any partner or affiliate of San Juan Products. Furthermore, no Dealer has any authority of any kind or nature whatsoever to create any obligation on the part of San Juan Products, or of any partner or affiliate of San Juan Products. San Juan Products has no responsibility or liability whatsoever for or with respect to any persons performing any services on the part of any dealer including, without limitation. Any installation services or any repair services, and all such persons performing any such services on the part of any Dealer are and shall remain such, Dealer's employees, contractors and /or agents. San Juan Products has no right to control or direct any employees, contractors and /or agents. No persons performing any services on the part of any Dealer, whether installation services, repair services or any other services, shall ever be construed to be employees, contractors or agents of San Juan Products, or of any partner or affiliate of San Juan Products.

San Juan Products disclaims any liability for any act or omission on behalf of any Dealer. San Juan Products obligation concerning pools manufactured by it is limited to San Juan Products Limited Warranty to Original Retail Buyer. (Limited Warranty to original retail buyer).

Images Disclaimer: San Juan Pools has made a concerted effort to provide images that accurately represent the actual color of your pool, however the Iridium process contains natural variations in color, tone, and grain that are difficult to reproduce on brochures and monitors. We cannot guarantee that these images represent the actual colors of the product. Please contact San Juan to receive an actual color sample to truly experience the beauty of Iridium!

All measurements are outside dimensions (OD) and are approximate. Dimensions may vary upon installation. Check local and state building codes for diving specifications. Diving requirements may vary by region. All quick entry devices shall be installed in accordance with the manufacturer's specifications.

All dealers/contractors are independent and not agents for manufacturers.

Quality Fiberglass Pools Since 1958

East Coast 800-535-7946
West Coast 866-535-7946

Family Fun Fiberglass Pools A Lifetime of Memories!




- Green, Eco Friendly Construction
- Built-in Automatic Safety Covers
- Beach Entry / Tanning Ledges
- Swim Lane Pools & Spas
- Satin Smooth Color Finishes
- All Glass Tile Pools
- Salt Water Pools
- Self Cleaning Pools
- **Hydro Therapy Spas**











SanJuanPools.com · MyPoolSpace.net

Corporate Office Lakeland, FL

800-535-7946

Mid America Wolcott, IN 877-535-7946 West Coast Eloy, AZ 866-535-7946

Mid Atlantic Depot South Central Depot Dunn, NC Opelousas, LA

Dunn, NC Opelousas, LA **800-535-7946 337-948-3984**

North West Depot Kennewick, WA 866-515-7946 Canada Depot Ontario, Canada 877-680-7946 San Juan Russia
Moscow, Russia

+79 64-62-43-803

San Juan Europe VALBO, Sweden +46 26-22-22-350